

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6640317").PN.	USPAT; USOCR	OR	OFF	2011/10/26 05:28
L2	1	("6615166").PN.	USPAT; USOCR	OR	OFF	2011/10/26 05:30
L3	1	("6564369").PN.	USPAT; USOCR	OR	OFF	2011/10/26 05:34
L4	1	("20030055935").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:35
L5	1	("20030009434").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:36
L6	1	("20020113816").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:37
L7	1	("6397378").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:38
L8	1	("6367077").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:38
L9	1	("6347312").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:39
L10	1	("20020010700").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:40
L11	1	("20010037339").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:40
L12	1	("20010034733").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:41
L13	1	("6226788").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:42
L14	1	("6131120").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:42
L15	1	("6119122").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:44
L16	1	("6085188").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:44
L17	1	("5678041").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/26 05:45
L18	225	( routers with software with (register\$3 configura\$4)) and {@ad<="20020305" @ad<="20020305")	US-PGPUB; USPAT; USOCR, EPO, JPO, DERWENT, IBM_TDB	OR	ON	2011/10/26 05:47

L19	84	( routers with software with (register\$3 configura\$4)) and (message packet data) with channels and (@ad<="20020305" @ad<="20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/26 05:48
L20	0	( routers with software with (register\$3 configura\$4)) and (message packet data) with selected with channels and (@ad<="20020305" @ad<="20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/26 05:49
L21	23	( routers with software with (register\$3 configura\$4)) and (message packet data) with different with channels and (@ad<="20020305" @ad<="20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/26 05:49
L22	8	( routers with software with (register\$3 configura\$4)) and (message packet data) with pair near3 channels and (@ad<="20020305" @ad<="20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/26 05:52
L23	29	( routers with software with (register\$3 configura\$4)) and (message packet data) with two near3 channels and (@ad<="20020305" @ad<="20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/26 05:54
L24	5	( routers with (register\$3 configura\$4)) and (message packet data) with two near3 channels and software with distribution and (@ad<="20020305" @ad<="20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/26 05:57
L25	5	( routers with (register\$3 configura\$4)) and (message packet data) with (pair two) near3 channels and software with distribution and (@ad<="20020305" @ad<="20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/26 05:57
L26	5	( routers with (register\$3 configura\$4)) and (message packet data) with (pair two) near3 (channels tunnel\$1) and software with distribution and (@ad<="20020305" @ad<="20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/26 05:57

L27	0	(application near1 layer near1 router) and (message packet data) with (pair two) near3 (channels tunnel\$1) and software with distribution and (@ad<="20020305" @ad<="20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/26 06:00
L28	1	(application near2 router) and (message packet data) with (pair two) near3 (channels tunnel\$1) and software with distribution and (@ad<="20020305" @ad<="20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/26 06:00
S1	20	(publish\$3 with subscrib\$3) same router\$1	USPAT	OR	OFF	2006/05/04 16:14
S2	1	("6816903").PN.	USPAT; USOCR	OR	OFF	2005/11/04 14:46
S3	1	("6687731").PN.	USPAT; USOCR	OR	OFF	2005/11/04 14:46
S4	265	(publish\$3 with subscrib\$3) and router\$1 and register\$3 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 10:40
S5	14	(publish\$3 with subscrib\$3) and router\$1 with register\$3 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/02 11:13
S6	0	("20050144298").PN.	USPAT; USOCR	OR	OFF	2006/05/02 11:13
S7	1	("20050144298").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/02 11:13
S8	0	"709"/\$.238. and (select\$3 with paths) same router\$1	USPAT	OR	OFF	2006/05/04 16:15
S9	0	"709"/\$.238. and (select\$3 with paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:16
S10	0	"709"/\$.238. and (short\$3 with paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:17
S11	0	"709"/\$.238. and (paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:17

S12	0	"709"/\$.238 and (paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:17
S13	409	"709"/238.ccls. and (paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:17
S14	94	"709"/238.ccls. and (select\$3 with paths) same router\$1 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:18
S15	0	"709"/238.ccls. and (select\$3 with paths) same (application near1 router\$1) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:18
S16	3	"709"/238.ccls. and (select\$3 with paths) same (application with router\$1) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:20
S17	15	"709"/238.ccls. and (select\$3 with paths) same (router\$1) and application near1 layer and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:30
S18	0	"709"/238.ccls. and (select\$3 with paths) same (software near1 router\$1) and application near1 layer and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:30
S19	0	"709"/238.ccls. and (select\$3 with paths) same (software near1 router\$1) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:31
S20	3	"709"/238.ccls. and (select\$3 with paths) and (software near1 router\$1) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:32
S21	9	(application near1 layer near1 router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:33

S22	5	select\$3 and (application near1 layer near1 router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:49
S23	0	709/239.cds. and (application near1 layer near1 router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:49
S24	2	709/239.cds. and (application near1 layer with router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:50
S25	12	709/238.cds. and (application near1 layer with router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:56
S26	10	709/238.cds. and (software adj1 router) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:57
S27	9	709/238.cds. and (software adj1 router) and select\$3 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 16:58
S28	4	709/238.cds. and (software adj1 router) and select\$3 with (rout\$3 paths) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 17:34
S29	1	("5781534").PN.	USPAT; USOCR	OR	OFF	2006/05/04 17:50
S30	93	709/239.cds. and application with layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 17:50
S31	78	709/239.cds. and application with layer and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 17:58
S32	2	709/239.cds. and (layer adj1 seven) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 18:00

S33	47	709/239.ccls. and (application near1 layer) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 18:01
S34	23	709/239.ccls. and (application near1 layer) and select\$3 with (path\$1 rout\$3) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 18:57
S35	1	("20030120809").FN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/04 19:00
S36	36	709/239.ccls. and (application near1 layer) and (choos\$3 select\$3 alterna\$5) with (path \$1 rout\$3) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:11
S37	43	709/239.ccls. and (application near1 layer) and (select\$3 routers) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:12
S38	0	709/239.ccls. and (application near1 layer) and (select\$3 near1 routers) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:12
S39	12	709/238.ccls. and (application near1 layer) and (select\$3 near1 routers) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:17
S40	10	709/238.ccls. and (software adj1 routers) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:18
S41	4	709/238.ccls. and (software adj1 routers) and ((select\$3 choos\$3) with (path\$3 rout \$3)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:20
S42	2	709/239.ccls. and (software adj1 routers) and ((select\$3 choos\$3) with (path\$3 rout \$3)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:21
S43	19	709/239.ccls. and (rout\$3 near1 application) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:21

S44	0	709/239.cds. and (rout\$3 near1 application) with (select \$3 near1 paths) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:22
S45	0	709/238.cds. and (rout\$3 near1 application) with (select \$3 near1 paths) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:22
S46	1	(rout\$3 near1 application) with (select \$3 near1 paths) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/04 19:22
S47	71	709/239.cds. and (message with routers) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 16:02
S48	7	709/239.cds. and (message with routers with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 16:05
S49	0	709/239.cds. and (message with routers with application with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 16:06
S50	1	709/238.cds. and (message with routers with application with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 16:06
S51	16	709/238.cds. and ( routers with application with (register \$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 16:08
S52	13	709/238.cds. and ( routers with software with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 17:31
S53	12	( routers near1 software with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 17:39

S54	3	(software adj1 router with (register\$3 configura\$4)) and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 18:18
S55	0	("20040148354").PN.	USPAT; USOCR	OR	OFF	2006/05/05 18:18
S56	1	("20040148354").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 18:38
S57	1	("20020087628").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 18:49
S58	1	("20020023230").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 18:55
S59	1	((("20030172183") or ("2002009591")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 18:56
S60	2	((("20030172183") or ("2002009591")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/05 18:57
S61	3	((("20030172183") or ("2002009591") or ("6859819")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 11:31
S62	1	("6493341").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 12:07
S63	1	("7,020,717").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 12:37
S64	1	("6907011").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/08 12:38
S65	1	("7020717").PN.	USPAT; USOCR	OR	OFF	2006/07/27 17:13
S66	1	("6493341").PN.	USPAT; USOCR	OR	OFF	2006/07/27 17:14
S67	1	("5857072").PN.	USPAT; USOCR	OR	OFF	2006/07/27 17:15
S68	1	("6907011").PN.	USPAT; USOCR	OR	OFF	2006/07/27 17:20
S69	1	("5898836").PN.	USPAT; USOCR	OR	OFF	2006/07/27 17:20
S70	1	("6421781").PN.	USPAT; USOCR	OR	OFF	2006/07/27 17:21
S71	1	("20020152239").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 17:27
S72	1	("6760916").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/27 17:27
S73	1	("7,020,717").PN.	USPAT; USOCR	OR	OFF	2011/10/12 18:44
S74	0	router adj2 egister\$4 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/12 18:53



S75	292	router adj2 register\$4 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/12 18:53
S76	3	application adj2 router adj2 register\$4 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/12 18:54
S77	1	("20050144298").PN	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/12 19:14
S78	2	(SAMUEL-SUBODH-A).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/10/12 19:15
S79	1	("20050144298").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/10/13 14:52
S80	3	(ABRAHAM-RAJI).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/10/13 15:22
S81	9	application adj2 router with register\$4 and @ad<="20020305"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/13 15:24
S82	1	("6493870").PN.	USPAT; USOCR	OR	OFF	2011/10/25 13:03
S83	1	("6418554").PN.	USPAT; USOCR	OR	OFF	2011/10/25 13:08
S84	1	("6405364").PN.	USPAT; USOCR	OR	OFF	2011/10/25 13:12
S85	25068	(channels links paths) same router\$1 and (@ad<"20020305" @rlad<"20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 13:14
S86	2915	select\$4 with (channels links paths) same router\$1 and (@ad<"20020305" @rlad<"20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 13:14
S87	22443	select\$4 with (channels links paths) with (gateways AP BS "base station" router\$1) and (@ad<"20020305" @rlad<"20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 13:15

S88	3871	select\$4 with (channels links paths) with (gateways AP BS "base station" router\$1).ab. and (@ad<"20020305" @rlad<"20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 13:16
S89	18	select\$4 with (channels links paths) with (gateways AP BS "base station" router\$1).ab. and (software with distribut \$4) and (@ad<"20020305" @rlad<"20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 13:16
S90	18	(select\$4 choose choos\$4) with (channels links paths) with (gateways AP BS "base station" router\$1).ab. and (software with distribut\$4) and (@ad<"20020305" @rlad<"20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 13:58
S91	6	(select\$4 choose choos\$4) with (channels links paths) with (gateways AP BS "base station" router\$1) same (software with distribut\$4) and (@ad<"20020305" @rlad<"20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 13:58
S92	6	(select\$4 choose choos\$4) with (channels links paths) with (gateways AP BS "base station" router\$1) same (software with distribut\$4) and (@ad<"20020305" @rlad<"20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:01
S93	77	(select\$4 choose choos\$4) with (channels links paths) with (gateways AP BS "base station" router\$1) same ((software components applications programs) with distribut\$4) and (@ad<"20020305" @rlad<"20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:01
S94	544	(select\$4 choose choos\$4) with (channels links paths) with (gateways AP BS "base station" router\$1) same ((software components applications programs) with (send\$4 transmit\$4 distribut \$4 instalat\$4)) and (@ad<"20020305" @rlad<"20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:02

S95	301	{select\$4 choose choos\$4} with (channels links paths) with (gateways AP BS "base station" router\$1) with ((software components applications programs) with (send\$4 transmit\$4 distribut \$4 instalat\$4)) and (@ad< "20020305" @rlad< "20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:03
S97	135	{select\$4 choose choos\$4} near4 (channels links paths) with (gateways AP BS "base station" router\$1) with ((software components applications programs) with (send\$4 transmit\$4 distribut \$4 instalat\$4)) and (@ad< "20020305" @rlad< "20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:05
S98	16	{select\$4 choose choos\$4} near4 (channels links paths) with (gateways AP BS "base station" router\$1) with ((software components applications programs) with (send\$4 transmit\$4 distribut \$4 instalat\$4)).ab. and (@ad< "20020305" @rlad< "20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:06
S99	5	software with (send\$4 transmit\$4 distribut\$4 instalat \$4).ab. and (select\$4 choose choos\$4) near4 (channels links paths) with (gateways AP BS "base station" router \$1) with((software components applications programs) with (send\$4 transmit\$4 distribut\$4 instalat \$4)) and (@ad< "20020305" @rlad< "20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:07
S100	44	{(software components applications programs) with (send\$4 transmit\$4 distribut \$4 instalat\$4).ab. and (select \$4 choose choos\$4) near4 (channels links paths) with (gateways AP BS "base station" router\$1) with ((software components applications programs) with (send\$4 transmit\$4 distribut \$4 instalat\$4)) and (@ad< "20020305" @rlad< "20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:09

S101	44	{software components applications programs} with {send\$4 transmit\$4 distribut\$4 instalat\$4).ab. and (select\$4 choose choos\$4) near4 (channels links paths) with {gateways AP BS "base station" router\$1) with ((software components applications programs) with {send\$4 transmit\$4 distribut\$4 instalat\$4)) and (@ad< "20020305" @rlad< "20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:09
S102	208	{software components applications programs} with {send\$4 transmit\$4 distribut\$4 instalat\$4).ab. and (select\$4 choose choos\$4) near4 (channels links paths) with messages and (@ad< "20020305" @rlad< "20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:18
S103	114	{software components applications programs} with {send\$4 transmit\$4 distribut\$4 instalat\$4).ab. and (select\$4 choose choos\$4) near4 (channels) with messages and (@ad< "20020305" @rlad< "20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:19
S104	101	{software components applications programs} with {send\$4 transmit\$4 distribut\$4 instalat\$4).ab. and (select\$4 choose choos\$4) near4 (links paths) with messages and (@ad< "20020305" @rlad< "20020305")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/10/25 14:21
S105	2	("0622784").PN.	USPAT; USOCR	OR	OFF	2011/10/25 14:25
S106	1	("6226784").PN.	USPAT; USOCR	OR	OFF	2011/10/25 14:26
S107	1	("6205579").PN.	USPAT; USOCR	OR	OFF	2011/10/25 14:26
S108	1	("6195794").PN.	USPAT; USOCR	OR	OFF	2011/10/25 14:28
S109	1	("6138153").PN.	USPAT; USOCR	OR	OFF	2011/10/25 14:29
S110	1	("5950010").PN.	USPAT; USOCR	OR	OFF	2011/10/25 14:31
S111	1	("5919247").PN.	USPAT; USOCR	OR	OFF	2011/10/25 14:32

S112	1	("5909581").PN.	USPAT; USOCR	OR	OFF	2011/10/25 15:37
S113	1	("5581764").PN.	USPAT; USOCR	OR	OFF	2011/10/25 15:38
S114	1	("5339435").PN.	USPAT; USOCR	OR	OFF	2011/10/25 15:39
S115	1	("5282273").PN.	USPAT; USOCR	OR	OFF	2011/10/25 15:41
S116	1	("5263164").PN.	USPAT; USOCR	OR	OFF	2011/10/25 15:42
S117	1	("5247683").PN.	USPAT; USOCR	OR	OFF	2011/10/25 15:43
S118	1	("4951192").PN.	USPAT; USOCR	OR	OFF	2011/10/25 15:44
S119	1	("4780821").PN.	USPAT; USOCR	OR	OFF	2011/10/25 15:45
S120	1	("6757698").PN.	USPAT; USOCR	OR	OFF	2011/10/25 15:47
S121	1	("6744450").PN.	USPAT; USOCR	OR	OFF	2011/10/25 18:02
S122	1	("6651248").PN.	USPAT; USOCR	OR	OFF	2011/10/25 18:04
S123	1	("6490722").PN.	USPAT; USOCR	OR	OFF	2011/10/25 18:05
S124	1	("6324543").PN.	USPAT; USOCR	OR	OFF	2011/10/25 18:13
S125	1	("5867714").PN.	USPAT; USOCR	OR	OFF	2011/10/25 18:14
S126	1	("4853843").PN.	USPAT; USOCR	OR	OFF	2011/10/25 18:15
S127	1	("5553071").PN.	USPAT; USOCR	OR	OFF	2011/10/25 18:24
S128	1	("6834301").PN.	USPAT; USOCR	OR	OFF	2011/10/25 18:25

10/ 26/ 2011 6:04:48 AM

C:\Documents and Settings\Itruong6\My Documents\EAST\Workspaces\10092181.wsp